

Ambisonic Bollard Collection

Luxury Landscape Bollard 6



ALSB64CH



ALSB64S



ALSB64SBL

ALSB64CH • ALSB64S • ALSB64BL

Description

This Ambisonic Bollard Collection is the latest in luxury outdoor listening: a combination of the latest in high performance audio, unparalleled design, and construction. These are engineered to give you years of listening satisfaction and pleasure; the ported composite enclosure, and all components, are designed to withstand the harshest of environmental conditions in any permanent landscape installation.

Available in 3 sizes, you can select the optimum visual and acoustic impact required for any outdoor setting. Each comes with a high definition conical ribbon tweeter, offering 360° dispersion, so your backyard, patio and pool areas will come alive with incredible clarity and detailed sound. Meanwhile, the integrated burial subwoofer delivers the punch, impact and clean tight bass necessary for the outdoors, perfectly complimenting the higher frequencies with the low.

Our Landscape Bollard 6 is the smallest of the collection, offering a subtle elegance of a smaller frame that integrates into landscaping yet features a *powerful 6 ½"* burial subwoofer, an additional 4 ½" mid-range, and lastly, in true Ambisonic style, an iconic 1" high definition conical ribbon tweeter.

The Landscape Bollard 6 is made to measure a *sleek 18 ¾" height above ground*, with all weather hexagonal exterior sleeves obtainable in *3 colors*: Champagne, Stargazing Silver, and Midnight Black.





Ambisonic Bollard Collection

Conical Ribbon Driver

The Landscape Bollard 6's highly efficient conical ribbon driver features an ultra-sensitive aluminum diaphragm, energized by a neodymium motor, capable of accentuating your audio signals into the ultimate high fidelity reproduction, with minimal distortion.

Designed and constructed to project sound longer distances, it ensures those deeply important key transients and higher frequency nuances, for a powerful 360° outdoor sound immersion experience.



Feature

1. • High Definition Conical Ribbon Tweeter

Specifications

MODEL ALSB64CH • ALSB64S • ALSB64BL

COLOR Champagne • Stargazing Silver • Midnight Black

Woofer 6 ½" (165mm) Polypropylene Woofer Midrange 4 ½" (115mm) Aluminum Midrange

Tweeter 1" (25mm) HD Aluminum Conical Ribbon Tweeter

Frequency Response 48HZ - 20KHZ Power RMS 50W | 50W

Power 100W | 100W (Program) 200W | 200W (Peak)

 $\begin{array}{ll} \text{Impedance} & 6~\Omega~\text{(Sub)}~/~4~\Omega~\text{(Sat)} \\ \text{Transformer Taps} & \text{Selectable LoZ, or} \end{array}$

70V: 50W Subwoofer | 50W Midrange 100V: 50W Subwoofer | 50W Midrange

Subwoofer Enclosure Ø 12 5/16" (315mm) • 8 1/8" (212mm) Depth

Sleeve Dimensions 6 1/32" x 5 13/16" (158 x 148mm) Hexagonal Widths

18 ¾" (476mm) Height (includes 5mm sleeve base)

Total Height 27 1/16" (688mm)


Enclosure Material Poly Composite, Weather Resistant Enclosure

^{*}All product specifications are subject to change. Please refer to ambisonicsystems.com for latest information.



Ambisonic Bollard Collection

Line Drawings



^{*}All product specifications are subject to change. Please refer to ambisonicsystems.com for latest information.